

TECHNICAL SPECIFICATIONS
SEAT CUPRA R



	2.0 TSI 310PS	2.0 TSI 300PS
ENGINE		
Cylinder/Valve (Total)	4 Cyl. - 16v	
Displacement (cc)	1.984	
Bore and stroke (mm)	82,5 X 92,8	
Compression ratio	9,3	
Maximum power (Kw/hp/rpm)	228/310/ 5800-6500	221/300/ 5500-6200
Max. Torque (NM/rpm)	380/1800-5700	
Fuel supply system	MPI Multipoint Injection + TSI-Direct Injection	
Ignition	Electronic map-controlled ignition	
Fuel type	ROZ 98	
Emissions standard	EU6	
Alternator (A)	140	
Battery (Ah)	69/360	
PERFORMANCE		
Max. Speed (Km/h)	250	250
Acceleration 0-100 km/h	5,8	5,7
MASS EMISSION		
CO2 Combined (g/Km)	170	158
FUEL CONSUMPTION		
Combined (l/100 Km)	7,3	6,9
TRANSMISSION		
Gearbox type:	Manual 6-speed + VAQ	DSG 6-speed +VAQ
I	3,357	2,933
II	2,087	1,833
III	1,481	1,300
IV	1,088	0,975
V	1,097	1,030
VI	0,912	0,825
VII	-	-
R	3,990	3,350
Group ratio	3,944 (1) / 3,087 (2)	4,769 (1) / 4,444 (2)
Speed 1000 rpm in IV/V/VI (km/h)	27,01 / 34,3 / 41,2	26,0 / 33,6 / 42,9
CHASIS		
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber	
Rear suspension	Multilink axle, coil springs and hydraulic shock absorber	
Steering system	R-EPS Progressive steering	
Turning diameter (m)	10,66	
Brake system	Dual hydraulic circuit and brake system diagonal split with brake booster	
Front / Rear brake type	Front ventilated disc brakes and rear ventilated disc brakes	
Front brakes (mm)	370x32	
Rear brakes (mm)	310x22	
Rims (")	19"	
Tyres	235/35 R19	
PACKAGE		
Body type	5 doors	
Length / width / height (mm)	4324 / 1816 / 1435	
Wheelbase (mm)	2631	
Front/Rear track (mm)	1568 / 1543	
Boot capacity (L)	380	
Petrol tank capacity (L)	50	
WEIGHTS		
In running order with driver (Kg)	1453	1479
Max. Weight allowed (Kg)	1930	1960